

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6301609".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L2	1601	709/207	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L3	3158	709/204	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L4	6463	370/252	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L5	9008	370/352	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L6	451405	database	USPAT	OR	OFF	2006/05/09 14:46
L7	478623	database or (data adj base)	USPAT	OR	ON	2006/05/09 14:46
L8	68495	L7 and network	USPAT	OR	ON	2006/05/09 14:46
L9	64001	L8 and (sen\$4 or deliver\$4 or transmi\$6)	USPAT	OR	ON	2006/05/09 14:46
L10	17792	L9 and (network same address)	USPAT	OR	ON	2006/05/09 14:46
L11	318	L10 and ((select\$4 or choose\$4 or brows\$4) same (contact adj information))	USPAT	OR	ON	2006/05/09 14:46
L12	276	L11 and @ad<"20011024"	USPAT	OR	ON	2006/05/09 14:46
L13	260	L12 and request\$4	USPAT	OR	ON	2006/05/09 14:46
L14	233	L13 and ((plurality or multiple or couple or quadruple or many) same network)	USPAT	OR	ON	2006/05/09 14:46
L15	52	L14 and ((plurality or multiple or couple or quadruple or many) adj network)	USPAT	OR	ON	2006/05/09 14:46
L16	52	L15 and user	USPAT	OR	ON	2006/05/09 14:46
L17	30	L16 and target	USPAT	OR	ON	2006/05/09 14:46

EAST Search History

L18	30	L17 and communication	USPAT	OR	ON	2006/05/09 14:46
L19	30	L18 and server	USPAT	OR	ON	2006/05/09 14:46
L20	30	L19 and computer	USPAT	OR	ON	2006/05/09 14:46
L21	14	L20 and (identif\$4 same recipients)	USPAT	OR	ON	2006/05/09 14:46
L22	0	L21 and (group adj server)	USPAT	OR	ON	2006/05/09 14:46
L23	14	L20 and (identif\$4 same recipients)	USPAT	OR	ON	2006/05/09 14:46
L24	4993736	communication contact notify\$3 discussion broadcast\$3 messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L25	359514	router\$1 gateway\$2 (routing near2 table) (network near10 interface\$2) (data near2 base) repository	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L26	2321890	presence\$2 activit\$2 latency dormancy attendance attend\$3 participation	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L27	1819662	subscriber\$1 nod\$2 client\$2 consumer\$2 user\$2 consumer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L28	35603	network near2 address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L29	5086596	subscriber\$1 nod\$2 client\$2 consumer\$2 user\$2 consumer\$2 member\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L30	4484335	maintain\$3 manag\$5 sustain\$3 recify report keep\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L31	2597137	record\$3 history account\$3 profil\$3 qualification	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46

EAST Search History

L32	46405	L29 with L30 with L31	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L33	13047780	produc\$3 mak\$3 generat\$3 creat\$3 form\$3 provid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L34	233	L33 with L26 with (availability) with L29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L35	149134	router\$1 gateway\$2 (routing near2 table) (network near10 interface\$2) (data near2 base) repository	USPAT	OR	ON	2006/05/09 14:46
L36	696	L35 with L26 with L29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L37	3	L34 and L32 and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L38	0	L37 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L39	3	L34 and L32 and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L40	19	L34 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L41	42755	L33 with L26 with L29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46

EAST Search History

L42	6069	L41 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L43	185	L36 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L44	85	L42 and L43	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L45	62288	(point adj of adj presence) PoP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L46	77	L41 and L45 and L36 and (@ad<"20011024" @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L47	76	"6301609"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L48	1	"20020023134"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L49	3	"6618355"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L50	9	"6193422"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L51	1	"6301609".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46

EAST Search History

L52	571	(instant near5 messag\$5) with audio	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L53	131	L52 and VoIP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L54	4	L53 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:46
L55	6463	370/252	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:51
L56	9008	370/352	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:51
S1	434695	database	USPAT	OR	OFF	2005/02/28 10:55
S2	459613	database or (data adj base)	USPAT	OR	ON	2005/02/28 10:56
S3	55928	S2 and network	USPAT	OR	ON	2005/02/28 10:56
S4	52147	S3 and (sen\$4 or deliver\$4 or transmi\$6)	USPAT	OR	ON	2005/02/28 10:57
S5	14342	S4 and (network same address)	USPAT	OR	ON	2005/02/28 10:57
S6	219	S5 and ((select\$4 or choose\$4 or brows\$4) same (contact adj information))	USPAT	OR	ON	2005/02/28 10:59
S7	204	S6 and @ad<"20011024"	USPAT	OR	ON	2005/02/28 10:59
S8	193	S7 and request\$4	USPAT	OR	ON	2005/02/28 10:59
S9	175	S8 and ((plurality or multiple or couple or quadruple or many) same network)	USPAT	OR	ON	2005/02/28 11:01
S10	43	S9 and ((plurality or multiple or couple or quadruple or many) adj network)	USPAT	OR	ON	2005/02/28 11:01
S11	43	S10 and user	USPAT	OR	ON	2005/02/28 11:01
S12	26	S11 and target	USPAT	OR	ON	2005/02/28 11:01
S13	26	S12 and communication	USPAT	OR	ON	2005/02/28 11:02

EAST Search History

S14	26	S13 and server	USPAT	OR	ON	2005/02/28 11:02
S15	26	S14 and computer	USPAT	OR	ON	2005/02/28 11:02
S16	12	S15 and (identif\$4 same recipients)	USPAT	OR	ON	2005/02/28 11:03
S17	0	S16 and (group adj server)	USPAT	OR	ON	2005/02/28 11:02
S21	4812921	communication contact notify\$3 discussion broadcast\$3 messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:09
S22	327913	router\$1 gateway\$2 (routing near2 table) (network near10 interface\$2) (data near2 base) repository	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:22
S23	2239276	presence\$2 activit\$2 latency dormancy attendance attend\$3 participation	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:11
S24	1706405	subscriber\$1 nod\$2 client\$2 consumer\$2 user\$2 consumer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:15
S25	31579	network near2 address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:15
S26	4907892	subscriber\$1 nod\$2 client\$2 consumer\$2 user\$2 consumer\$2 member\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:15
S27	4321738	maintain\$3 manag\$5 sustain\$3 recify report keep\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:24
S28	2485035	record\$3 history account\$3 profil\$3 qualification	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:45

EAST Search History

S29	41880	S26 with S27 with S28	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:50
S30	12688740	produc\$3 mak\$3 generat\$3 creat\$3 form\$3 provid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:52
S31	200	S30 with S23 with (availability) with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:06
S32	620	S18 with S23 with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 10:57
S33	3	S31 and S29 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:00
S34	0	S33 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:15
S35	18	S31 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:02
S36	40010	S30 with S23 with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:06
S37	5961	S36 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:12
S38	163	S32 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:13

EAST Search History

S39	77	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:14
S40	58363	(point adj of adj presence) PoP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 11:15
S41	72	S36 and S40 and S32 and (@ad<"20011024" @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 13:04
S42	59	"6301609"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 13:05
S43	1	"20020023134"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 13:05
S44	2	"6618355"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 16:14
S45	9	"6193422"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 16:14
S46	1	"6301609".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 13:35
S47	571	(instant near5 messag\$5) with audio	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 13:37
S48	131	S47 and VoIP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 13:37

EAST Search History

S49	4	S48 and (@ad<"20011024" and @rlad<"20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 14:45
-----	---	---	---	----	----	------------------